

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S11	20	("20020034281" "20020077077" "20020102967" "20020147988" "20020155826" "5802466" "5903726" "5940756" "5960074" "6014429" "6091710" "6301609" "6333929" "6430604" "6463463" "6512930" "6760580").PN. OR ("7190956").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/03 17:51
S12	141	(instant\$2 short) with messag\$3 with server with (offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with (receiv\$3 user recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:04
S13	6863016	(buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:05
S14	38	S13 same S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:05
S15	90	(instant\$2 short) with messag\$3 with server with offline with (receiv \$3 user recipient)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:05
S16	22	S15 same S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:05
S17	16	S14 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:05

S18	7	("6212548" "6301609" "6430604" "6760754" "7016978" "7142642" "7146404").PN. OR ("7324826").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/03 18:17
S19	186	(instant\$2 short) with messag\$3 with server with (offline off-line disconnect\$3 ((sign log \$3) near2 (off)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:21
S20	1	S19 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:21
S21	57	S19 same S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:22
S22	6897693	(buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:22
S23	60	S19 same S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:22
S24	38	S23 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:23
S25	6905187	(buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:33
S26	175177	(buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:33
S27	301	((((instant\$2 short) with messag\$3) IM) with server with (offline off- line disconnect\$3 ((sign log\$3) near2 (off)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:34

S29	41	S26 with S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/03 18:34
S30	11	("20010042126" "20020024947" "20020103917" "20030002445" "20030018726" "20050004984" "20050044144" "6260148" "6430602").PN. OR ("7124123").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/03 18:38
S31	8	S26 and S30	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/03 18:39
S32	175294	(buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 11:16
S33	301	((((instant\$2 short) with messag\$3) IM) with server with (offline off- line disconnect\$3 ((sign log\$3) near2 (off)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 11:16
S34	60	S32 same S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 11:16
S35	41	S32 with S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 11:16
S36	19	S34 not S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 11:16
S37	7	audu-alexander\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 12:45

S38	2	"2004199663"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 12:48
S39	2	"20040199663"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 12:49
S40	13	agrawal-anuraag\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 12:51
S41	0	"43351" and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 12:52
S42	1	10/809889	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 12:54
S43	41	((((instant\$2 short) with messag\$3) IM) with server with (offline off- line disconnect\$3 ((sign log\$3) near2 (off))) with S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:51
S44	60	((((instant\$2 short) with messag\$3) IM) with server with (offline off- line disconnect\$3 ((sign log\$3) near2 (off))) same S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:17
S45	6065	709/206.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:19
S46	7806	remote with messag\$3 with S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:20
S47	7806	remote with S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:21

S48	13	S47 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:21
S49	12363	((instant\$2 short) with messag\$3) IM) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:26
S50	210729	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with (user terminal device node unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:28
S51	99	S47 and S49 and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:29
S52	2	S47 same S49 same S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:29
S53	138	separat\$3 with messag \$3 with storage with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:39
S54	0	S53 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:39
S55	18	S53 and S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:39
S56	12	separat\$3 with messag \$3 with storage with service with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:50
S57	13	(separat\$3 simplif\$4) with messag\$3 with storage with service with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:53

S58	271	(separat\$3 simplif\$4) with (((instant\$2 short) with messag\$3) IM) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:55
S59	4667	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) same S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:57
S60	26	S58 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:57
S61	427	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with messag\$3 with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:09
S62	10	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with instant with messag\$3 with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:10
S63	36	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with (((instant with messag \$3) IM) with storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:10
S64	26	S63 not S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:13
S65	2	function\$3 with instant with messag\$3 with server with (combin\$3 implement\$3) with multiple with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:18
S66	6	instant with messag\$3 with server with (combin\$3 implement \$3) with multiple with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:19
S67	3371	(buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with instant with messag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:23

S68	17067	(buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with (IM (instant with messag\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:24
S69	53	(buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with (IM (instant with messag\$3)) with server with remote	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:25
S70	2	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with (buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with (IM (instant with messag\$3)) with server with remote	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:34
S71	44	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with (buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with (IM (instant with messag\$3)) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:34
S72	758	jabber	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:34
S73	29	S72 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:35
S74	213	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with (buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with (IM (instant with messag\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:38
S75	35104	remote\$2 with (storage stor\$3) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:40

S76	8	S74 and S75	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:40
S77	48	(IM (instant with messag\$3)) with server with (multiple plural many) with (implement \$3 function\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 16:47
S78	48	(IM (instant with messag\$3)) with server with (multiple plural many) with (divid\$3 implement\$3 function \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:01
S79	58	(IM (instant with messag\$3)) with server with (multiple plural many divid\$3) with (implement\$3 function \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:02
S80	10	S79 not S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:02
S81	116	(IM (instant with messag\$3)) with server with (multiple plural many divid\$3) with (implement\$3 function \$3 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:03
S82	68	S81 not S77	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:03
S83	143	(IM (instant with messag\$3) chat chatting) with server with (multiple plural many divid\$3) with (implement\$3 function \$3 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:06
S84	75	S83 not S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:06

S85	5	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with (buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with (IM (instant with messag\$3)) with remote\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:13
S86	6	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with (buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with (IM chat\$4 (instant with messag \$3)) with remote\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:14
S87	275	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with (IM chat\$4 (instant with messag\$3)) with transmi\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:15
S88	1442	(buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with (IM (instant with messag\$3)) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:16
S89	2103	(buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with (IM chat\$4 (instant with messag \$3)) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:16
S90	26	S87 and S89	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:16
S91	3040	(offline off-line disconnect\$3 ((sign log \$3) near2 (off))) with messag\$3 with transmi \$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:24
S92	37	S89 and S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:24

S93	14	S92 not S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:25
S94	26082	(buffer\$3 temporar\$3 queu\$3 stor\$3 sav\$3 cach\$3 archiv\$3 defer \$4) with (messag\$3) with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:30
S95	65	S91 same S94	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 17:30

11/ 4/ 2008 8:41:18 PM

C:\Documents and Settings\msams\My Documents\EAST\Workspaces\10809889.wsp